

428 McCormick Street
 San Leandro, CA 94577
 510-567-8503
 510-567-8506 [fax]
www.inexinnovation.com

Dealer and Distributor
Please Contact:
 510-326-2985
jimmyko@inexinnovation.com



AmpliCable, AmpliCable-Elite, AmpliCable-Tube

General Specifications

Parameter		AMPT	AMPS & AMPE
Input Sensitivity		350 mV	750 mV
Input Impedance		30,000 ohms	30,000 ohms
Output Impedance		< 0.1 ohms	< 0.1 ohms
Frequency Response		3 dB power bandwidth (2 Hz to 4 MHz)	3 dB power bandwidth (2 Hz to 6 MHz)
Peak Current		3 amps	6 amps
Rated Power		9 W	25 W
Line Power		100 - 120 VAC 220 - 240 VAC	100 - 120 VAC 220 - 240 VAC
Gain		27 dB	27 dB
Optical Cable Length		5 meters	5 meters
Cable Battery		INEX 4000	INEX 4000
Cable Battery Charger Input		100 - 240 VAC	100 - 240 VAC
Dimensions (L x W x H)	Amplifier Module	4.5" x 2.4" x 1.1" 115 x 60 x 29 mm	6.3" x 2.7" x 1.4" 160 x 68 x 36 mm
	Power Supply*	6.1" x 3.5" x 1.8" 155 x 90 x 45 mm	7.7" x 4.3" x 2.2" 195 x 110 x 55 mm
Weights	Amplifier Module	0.7 lb / 0.3 kg	1.0 lb / 0.5 kg
	Power Supply**	2.5 lb / 1.1 kg	4.0 lb / 1.8 kg

* AMPE: 334 x 214 x 106 mm or 13.1" x 8.4" x 4.2"

** AMPE: 14.0 lb / 6.9 kg

The information set forth in this document reflects our best knowledge at the time of issue. The document is subject to changes pursuant to new developments and findings, and a similar reservation applies to the properties of the products described. We undertake no liability for results obtained by usage of our products and information.

INEX INNOVATION

Photon AmpliCable

428 McCormick Street
 San Leandro, CA 94577
 510-567-8503
 510-567-8506 [fax]
www.inexinnovation.com

Dealer and Distributor
Please Contact:
 510-326-2985
jimmyko@inexinnovation.com



Order Information

A M P - R C A 0 0 5 0 -

A

B C

A: Model

Code	Model
S	AmpliCable
E	AmpliCable Elite
T	AmpliCable Tube


B: Speaker Connector

Code	Connector Type
S	Spade
B	Banana
X	Others

C: AC Power Input

Code	Input Voltage
U	100 – 120 VAC
E	220 – 240 VAC
X	Others

Connection



The information set forth in this document reflects our best knowledge at the time of issue. The document is subject to changes pursuant to new developments and findings, and a similar reservation applies to the properties of the products described. We undertake no liability for results obtained by usage of our products and information.